

# Extrutech Suspended Ceiling System

CORROSION-PROOF PVC CEILING PANELS AND FIBERGLASS GRID SYSTEM

## “Extra Large Panels”

Panel Sizes Available  
2'x2', 2'x4', 2'x6',  
2'x8', 2'x10' and 2'x12'

### Advantages

- Fiberglass grid components
- Larger panels mean fewer pieces
- Quicker and easier installation
- Fewer seams - clean looking
- Ease of entry to plenums
- USDA accepted (United States)
- CFIA accepted (Canada)
- Water proof - corrosion proof
- Cleans easily - low maintenance
- Does not conduct heat or electricity
- Highly reflective, durable
- Panels will not rust, rot, flake or yellow
- Resists mold, mildew, bacteria growth
- Ten year warranty

### Facilities Served


- Food Processing
- Beverage Plants
- Chemical Plants
- Clean Rooms
- Concession Areas
- Dairies
- Correctional Facilities
- Poultry & Hogs
- Fisheries
- Hospitals
- Kennels
- Laboratories
- Restaurants
- Slaughter Houses
- Supermarkets
- Indoor Swimming Pools
- Universities
- Theme Parks



### Extrutech Suspended Ceiling System

Extrutech offers a new construction/retrofit product, in residential or commercial applications, that allows you the flexibility to construct ceilings faster, easier and safer. Use wherever interior suspended ceilings are required. Clean rooms, Isolation Chambers, Food Processing, Agricultural and Manufacturing Facilities, Dairies, Indoor Swimming Pools.

- Durable, 1/2”x 24”wide multi-chamber, ceiling panel made of rigid virgin polymers.
- Easy assembly, pre-cut parts.
- Never needs painting.
- Moisture and rot-proof, mildew resistant.
- Low maintenance, easy to clean, with water/mild cleaner.
- Termite-resistant.
- Brightens the interior of any building.
- Light-weight, but durable.
- Available in a bright white, high gloss, hard surface.
- Perfect for incidental food contact applications.



Extrutech Plastics is  
“ISO 9001:2008 QMS” Certified

## Extrutech Plastics, Inc.

“Custom Extruder of Close Tolerance Profiles”

5902 West Custer Street,

Manitowoc, WI 54220 U.S.A.

Phone: 888.818.0118 Fax: 920.684.4344

E-mail: [info@epiplastics.com](mailto:info@epiplastics.com)

[www.epiplastics04.com](http://www.epiplastics04.com)

